


005280-68ET5950

FIG. 1



2" +/- 1/8"

1/8" Max

FIG. 2




FIG. 3A





FIG. 3B



Print Postage

Return Address:

Registered User's Name
Address
City, St, Zip +4


Delivery Address:

Recipient's Name
Address
City, St, Zip +4

Address Book

☐ Do not print the Return Address

Mail Piece Information



Letter: Text description of a letter type of mailpiece to be determined.

Print On:

Envelope - #10


Enter Weight: 0 lbs. 1 oz. Scale

Select a Mail Service:

☒ First Class Mail: \$0.33
☐ Priority Mail: \$2.76
☐ Express Mail: \$9.95

Available Postage: \$

Preview



Print

Options

Close

Help

FIG. 4




FIG. 5

37

36

35

FIG. 6

Print Postage

Return Address:

Registered User's Name
Address
City, St, Zip +4

☐ Do not print the Return Address

Delivery Address:

Recipient's Name \$4.73
Recipient's Name \$4.89
Recipient's Name \$5.09
Recipient's Name \$5.31
Recipient's Name \$5.31

Address Book

Mail Piece Information:

Letter: Text description of a letter type of mailpiece to be determined

Print On:

Enter Weight:

9 lbs

4 oz

Avery # 5643

Scale

Select a Mail Service:

First Class Mail: \$1.12

Priority Mail: \$4.73 to \$5.31

Express Mail: \$13.25 to \$21.98

Preview

27

VOID

Available Postage: \$

Cost of Mailing: xx recipients @ \$yy.yy = \$zzz.zz

Print

Options

Close

Help

005280" 68675960

FIG. 7

Envelope Printing Options

42 ☐ Do not print a Facing Identification Mark

44 ☐ Postdate the Mailpiece to: 05/04/99

46 ☐ Indictum Correction

48 ☐ Print a Postage Correction

50 ☐ Print a Date Correction

52 Return Address: Font... Left Margin: Top Margin:

54 Delivery Address: Font... Left Margin: Top Margin:

56 Indictum Graphic: ☐ Include Graphic Browse...

80 Return Address Graphic: ☐ Include Graphic Browse...

82

FIG. 8

78

STAMPS.COM
2600 31ST ST STE 150
SANTA MONICA CA 90405-3035

\$0.009
1st Class
Per Piece

VOID

STAMPS.COM
2600 31ST ST STE 150
SANTA MONICA CA 90405-3035




FIG. 9




FIG. 10

Initial Page Layout




FIG. 11








FIG. 12






Top Offset



Bottom Offset




Center Offset

FIG. 13


006280-68ET596D

FIG. 14A



006230-68ET5960

FIG. 14B







FIG. 15

Bounding rect aspect ratio $\rightarrow 8 / 4 = 2$

Image area aspect ratio $\rightarrow 3 / 3 = 1$

Scaling factor $= 4 / 3$

New image area: height = 4, width = 4



006280" 68ET 53150

Margins




FIG. 16A





FIG. 16B

Origin with no envelope image rotation (EIR)

FIG. 18



005280" 005280" 005280"

Virtualization Process
for right-feed printers.

o@le

leading edge





FIG. 20A

Portrait mode
109

origin
(x,y)

FIG. 20B




1. Landscape mode - 270°
2. o@le
3. margin check

110

Landscape mode


This envelope satisfies the FIM requirements with no image rotation.



4. margin check passed
5. no image rotation required
6. no origin shifts required

FIG. 20C

With image rotation



4. margin check failed
5. image rotation required
5. origin shifts diagonally

FIG. 20D

FIG. 20E





FIG. 21A




FIG. 21B




FIG. 21C




FIG. 21D




FIG. 21E






FIG. 21F

With image rotation



4. margin check failed
5. image rotation required
6. origin shifts diagonally

This envelope satisfies the FIM requirements with no image rotation.



4. margin check passed
5. no image rotation required
6. origin shifts across

FIG. 21G




FIG. 22A




FIG. 22B




FIG. 22C

This envelope satisfies the FIM requirements
with no image rotation.

FIG. 22D

FIG. 22E





FIG. 22G


This envelope satisfies the FIM requirements with no image rotation.



- 4. margin check passed
- 5. no image rotation required
- 6. origin shifts across

FIG. 22F

With image rotation



- 4. margin check failed
- 5. image rotation required
- 6. origin shifts diagonally

005280" 68ET5960




FIG. 23




FIG. 24

Getting Started Wizard - Print Setup Wizard component

FIG. 25




FIG. 26

Printer Banner Graphic

1. Start
2. Register with Stamps.com
3. Apply for a postal meter
4. Test printer
5. Finish

Please select a default printer to be used for printing postage.

Default Printer: [dropdown]

In order to ensure that the selected printer is able to print in accordance with USPS requirements, we will need to print one or more sample pieces of postage as well as a real piece of postage.

Select "Next" to continue.

< Back Next > Cancel

FIG. 27

Printer Banner Graphic

1. Start
2. Register with Stamps.com
3. Apply for a postal meter
4. Test printer
5. Finish

Select the size of the envelopes that the postage will be printed onto.

Print Onto: [dropdown]

Would you like the return address to be printed on these envelopes? (select "no" if you are using envelopes with a pre-printed return address)

☒ yes ☐ no

< Back Next > Cancel

FIG. 28




FIG. 29






FIG. 30




Printer #5
Print QA envelope

FIG. 31



Printer #6
Mail QA envelope

FIG. 32



Finish #1
Congrats

FIG. 33




FIG. 34





Diagram illustrating the top feed of a machine. A rectangular opening is shown on the side of the machine, labeled "top feed".

Available patterns virtualized on a sheet of paper



An envelope with a circle pattern indicates a top-feed printer






FIG. 36



Available patterns virtualized on a sheet of paper



An envelope with a square pattern indicates a center-feed printer






FIG. 37




Available patterns virtualized on a sheet of paper



An envelope with a triangle pattern indicates a bottom-feed printer




FIG. 38



Printer #7
What printed
onto envelope?

FIG. 39



Printer #8
Troubleshooting
options

006280" 688ET5960

FIG. 40

